


The following example shows the use of the tag:

```
<html>
<head>
<title>Using lists</title><style type="text/css">
body{background-color:RGB(255,251,214)}
h1{color:red}
li{color:green}
</style>
</head><body>
<h1> Benefits of Positive
Attitude </h1><ul>
<li> Increases Productivity
<li> Improves Quality
<li> Efficient Team work
<li> Breeds Loyalty</ul></body></html>
```



Ordered List

The ordered list is used to display the list of items in a specific order. An ordered list indents and gives a number to each item in the list, that is why it is also known as the **Numbered** list. The list begins and ends with the and tags, respectively. Ordered lists are mostly used in situations where the order of the items is significant or where it is required to keep a count on the number of items. For example, in a recipe, if the steps are not demonstrated orderly, the end result would not be as desired.

The following example shows the use of the tag:



...significant or where it is required to keep a count on the number of items. For example, in a recipe, if the steps are not demonstrated orderly, the end result would not be as desired. The following example shows the use of the `<ol>` tag:


```
<html>
<head>
<title>ordered list</title>
<style type="text/css">
body{background-repeat:norepeat;
backgroundimage:url(pancake.jpg);
color:Blue;font-size:20px}
h1{color:Red}
</style>
</head>
<body>
<h1> Recipe for PanCake:
</h1>
<ol>
```




```

<li> In a large bowl, mix flour, sugar,
baking powder, and salt.
<li> Make a well in the center, and pour
in milk, egg and oil. Mix until smooth.
<li> Heat a lightly oiled griddle or
frying pan over medium high heat.
<li> Pour or scoop the batter onto the
griddle, using approximately 1/4 cup for
each pancake.
<li> Brown on both sides and serve hot.
</li>
</body>
</html>

```



Attributes of the Tag

Start attribute: An ordered list automatically starts with number 1, but you can also start the list with a different number with the help of the **Start** attribute.


For example, if you write <ol start = 101>, the ordered list numbering will start from 101.

Shot on OnePlus



padding: 2px 3px 3px - top(2px), right and left(3px)
padding: 2px 3px - top and bottom(2px), right and left(3px)
padding: 2px - all four paddings of 2px each

```
<html>
<head>
<title>Creating a Table</title>
<style type="text/css">
body{backgroundcolor:
RGB(255,251,214)}
table,td,th{border:1px solid magenta}
table{border-collapse:collapse;padding:5px;width:100%;height:30%;text
align:center;background-color:RGB(250,223,223)}
th{color:blue}
</style></head>
<body><table>
<tr><th>State</th><th>Capital</th>
</tr><tr><td>J&K</td><td>Srinagar (Summer) Jammu (Winter)</td></tr>
<tr><td>Punjab</td><td>Chandigarh</td>
</tr><tr><td>Gujrat</td><td>Gandhinagar</td>
</tr></table></body></html>
```



The screenshot shows a web browser window with the title 'Creating a Table'. The address bar shows the file path 'file:///C:/Users/User/Desktop/padding.htm'. The browser displays a table with two columns: 'State' and 'Capital'. The table has a magenta border and a light pink background. The 'State' column has a blue header, and the 'Capital' column has a blue header. The table contains three rows of data.

State	Capital
J&K	Srinagar (Summer) Jammu (Winter)
Punjab	Chandigarh
Gujrat	Gandhinagar

Forms

One of the most interesting features of the web is the interactive nature of the web pages, which allow the visitors to interact and add some relevant information in it. Forms are incorporated in web pages so that users can submit their feedbacks, questions, and answers.